

ethylene (ETFE) copolymers, tetrafluoroethylene-perfluoroalkoxy (PFA) copolymers, poly (vinyl fluoride) (PVF) and poly (vinylidene fluoride) (PVDF) is activated by radiation or chemical initiation in the presence of a monomer, such as styrene, which can be functionalised to contain an ion exchange group.

IN THE CLAIMS:

Please replace claims 3-15, 17 and 18 with the following amended claims.

- 1 3. (Amended) A substrate according to claim 1, wherein the
2 mixed amorphous silica fibres comprise one or more chopped strand(s) of
3 amorphous silica.
- 1 4. (Amended) A substrate according to claim 1, wherein the
2 amorphous silica fibres comprise a mixture of both microfibrils and chopped fibres
3 in the range of from 95:5% to 5:95% by weight of the mixture respectively.
- 1 5. (Amended) A substrate according to claim 4, wherein the
2 amorphous silica fibres comprise a mixture of both microfibrils and chopped fibres
3 in the range of from 70:30% to 30:70% by weight of the mixture respectively.
- 1 6. (Amended) A substrate according to claim 1, wherein the
2 fibres have a diameter in the range of from 0.1µm to 50µm.
- 1 7. (Amended) A substrate according to claim 6, wherein the
2 fibres have a diameter in the range of 0.4µm to 9µm.
- 1 8. (Amended) A substrate according to claim 1, wherein the
2 binder comprises a solution or dispersion of ion-exchange polymeric materials,
3 non-ion-conducting polymers, or inorganic materials or mixtures thereof.
- 1 9. (Amended) A substrate according to claim 1 for use in the
2 preparation of a composite membrane.
- 1 10. (Amended) A composite membrane comprising a porous
2 substrate of fibres and at least one ion-conducting polymer, characterised in that the

3 substrate comprises a porous matrix of mixed amorphous silica fibres bound with a
4 binder.

1 11. (Amended) A composite membrane according to claim 10,
2 which when dried then boiled in water undergoes less than or equal to about $\pm 9\%$
3 change in the area.

1 12. (Amended) A composite membrane according to claim 10,
2 wherein the total thickness of the membrane is less than 200 μm .

1 13. (Amended) A composite membrane according to claim 10 for
2 use in a fuel cell.

1 14. (Amended) A process for the manufacture of a substrate,
2 comprising the steps of

3 (a) dispersing mixed amorphous silica fibres in water to form a
4 slurry;

5 (b) depositing the slurry onto a mesh bed to form a network;

6 (c) drying and compacting the fibre network; and

7 (d) applying, before or after step (c), a dispersion of binder.

1 15. (Amended) A process for the manufacture of a membrane,
2 comprising the steps of

3 (i) forming a porous substrate according to claim 14; and
4 thereafter,

5 (ii) impregnating the porous substrate with a polymeric material
6 to produce a membrane.


1 17. (Amended) A membrane electrode assembly comprising a
2 composite membrane according to claim 10.

1 18. (Amended) A fuel cell comprising a composite membrane
2 according to claim 10.

Please add the following new claim:

- 1 19. (Newly Added) A process according to claim 15, wherein
2 mixed amorphous silica fibres are randomly oriented in said porous substrate.

Respectfully submitted,


Christopher R. Lewis, Reg. No. 36,201
Attorney for Applicants

CRL/lrb

Dated: April 12, 2001

Suite 301

One Westlakes, Berwyn

P.O. Box 980

Valley Forge, PA 19482-0980

(610) 407-0700

The Assistant Commissioner for Patents is hereby authorized to charge payment to Deposit Account No. 18-0350 of any fees associated with this communication.

EXPRESS MAIL Mailing Label No.: EL751749208US
Date of Deposit: April 12, 2001

I hereby certify that this paper and fee are being deposited, under 37 C.F.R. § 1.10 and with sufficient postage, using the "Express Mail Post Office to Addressee" service of the United States Postal Service on the date indicated above and that the deposit is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.


Kathleen Libby